

9500313

THE UNITED STRATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Asgrow Seed Company

PLEAS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS. HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING A YBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321-ET-SEQ.)

SOYBEAN

'A1923'

In Vertimonn Murrers, I have hereunto set my hand and caused the seal of the Mant Variety Protection Office to be affixed at the City of Washington, D.C. this thirtieth day of May in the year of our Lord one thousand nine hundred and ninety-seven.

Our Polisteman_ Secretary of Agriculture

Allest

Marsha A. S.

Plant Variety Protection Office Agricultural Marketing Service

EXHIBIT A ORIGIN AND BREEDING HISTORY OF A1923

| 1987 | Cross was made in Redwood Falls, Minnesota Parentage: A2234/2/*BSR101 |
|-------------------|---|
| 1987-88 Winter | F1 and F2 generations grown near Isabela, Puerto Rico |
| 1988 | F3 generation grown at Redwood Falls, Minnesota. Three hundred plants selected from a bulk population and threshed individually. |
| 1989 | Progeny Row Yield Trial (PRYT) A871568 A89-PY181 was selected for its uniformity in plant height, standability, and yield. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color. |
| 1989 (Oct) | A871568 A89-PY181 was determined to be a unique and stable line. |
| 1990 | A871568 A89-PY181 was entered in a preliminary (R195-42) yield test conducted at a total of 4 locations in Minnesota and Wisconsin. |
| 1990 (Fall) | 100 F5 plants were selected and threshed individually. |
| 1991 | A871568 A89-PY181 was entered in the advanced V150 test conducted at 15 locations in 5 states. |
| | 48 sublines were grown in Redwood Falls, Minnesota in a Pure Row Block. |
| 1992 | A871568 A89-PY181 was entered in the advanced V150 test as experimental Stage II XR1923 conducted at 16 locations. |
| | A 40-entry maintenance test was grown at Redwood Falls, Minnesota; Janesville, Wisconsin; and Kalamazoo, Michigan. |
| 1992 (Nov) | Four units of Breeder Seed were formed by combining top yielding entries from the test. |
| | In December, 1 unit was sent to Puerto Rico for increase. |
| 1993 | XP1923 was entered into the advanced V150 yield test conducted at 16 locations. Foundation seed of XP1923 was produced near Clarion, Iowa. XP1923 was nominated for release and assigned the designation A1923. A1923 is uniform and stable within commercially acceptable limits based on trial observations since October, 1989. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction. |

EXHIBIT B NOVELTY STATEMENT CONCERNING A1923 SOYBEAN

To our knowledge the soybean varieties that closely resemble A1923 are A2234 and A1900.

| 1) | Pod | Wall | Color | A1923= | Tan |
|----|-----|------|-------|--------|-------|
| | | | | A2234= | Tan |
| | | | | A1900= | Brown |

x= 2.9 Std Err= .309 Range= 1.0-5.0

5) Seed Protein Electrophoretic
Band A1923 - Type A
A2234 - Type B
A1900 - Type A

1 904 96.

(Soybean)

Page 1 of 4

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLANO 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

| NAME OF APPLICANT(S) | TEMPORARY DESIGNATION | VARIETY NAME |
|---|-----------------------------------|--|
| ASGROW SEED COMPANY | XP1923 | A1923 |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod 9638-190-23 7000 Portage Road Kalamazoo, MI 49001 | ie) | FOR OFFICIAL USE ONLY PVPO NUMBER 9500313 |
| Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided, Starred characters * are considered fundamental to an adeq when information is available. | , place a zero in the first box w | hen number is 9 or less (e.g., 0 9). |
| 1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) | T 2 = Spherical Flattened | (L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2) |
| . SEED COAT COLOR: (Mature Seed) | | |
| 1 = Yellow 2 = Green 3 = Brown | 4 = Black 5 = Other | (Specify) |
| L SEED COAT LUSTER: (Mature Hand Shelled Seed) | | |
| 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs | oy'; 'Gasoy 17') | |
| . SEED SIZE: (Mature Seed) | | |
| 9 Grams per 100 seeds | | |
| . HILUM COLOR: (Mature Seed) | | 77.7- |
| 6 1 = Buff 2 = Yellow 3 = Brown | 4 = Gray 5 = Imperfect BI | ack 6 = Black 7 = Other (Specify) |
| . COTYLEDON COLOR: (Mature Seed) | | |
| 1 = Yellow 2 = Green | • | |
| . SEED PROTEIN PEROXIDASE ACTIVITY: | · . | |
| 1 = Low 2 = High | | |
| . SEED PROTEIN ELECTROPHORETIC BAND: | | · |
| 1 = Type A (SP18) 2 = Type B (SP1b) | | |
| . HYPOCOTYL COLOR: | · 135 ADE 14 | |
| 1 = Green only ('Evans'; 'Davis') 2 = Green wi 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hodgson' | ith bronze band below cotyledons | ('Woodworth'; 'Tracy') |
| . LEAFLET SHAPE: | | |
| 3 1 = Lanceolate 2 = Ovat 3 = Ovate | 2 4 = Other (Specify) | |

FORM LMGS-470-57 (6-83)

(Edition of 2-87 is obsolete)

| | 11. | LEAFL | ET SIZE: | • | | | | | | | | | |
|-------|-----------|---|--|--|---|---------------------------------------|---|------------------|----------------|----------|---------------|---------------------------------------|---|
| (|) | 3 | 1 = Small ('Arns 3 = Large ('Crav | soy 71'; 'A5312'} wford'; 'Tracy') | | 2 | ≂ Mediun | n ('Corsoy ' | 79'; 'Gasoy 17 | 7'} | | | |
| • | 12, | LEAF C | OLOR: | *************************************** | | | • | | | | - | · · · · | |
| | | 2 | | ('Weber'; 'York' ('Gnome'; 'Tracy - | | 2 | = Mediur | m Green ('C | orsoy 79'; 'B | raxton') | | | |
| * | 13, | FLOWE | R COLOR: | | | | | : | | | | | |
| | | 2 | 1 = White | 2 = Purp | le | 3 = W | /hite with | h purple thi | oat | | | | |
| * | 14. | POD CC | | | | | | | · | | 1 23 2 3 | | |
| | • | | 1 =-Tan | 2 = Brown | | 3 = Blact | k | | | - | : | | |
| * | 15. | PLANT | PUBESCENCE C | COLOR: | | | | | `. | | | , | |
| | · | 2 | 1 = Gray | 2 = Brown (| Tawny) | | | | | | | | • |
| -5 14 | | | TYPES: | | | · · · · · · · · · · · · · · · · · · · | | | | | | | |
| | • . | 2 | 1 = Slender ('Es 3 = Bushy ('Gne | ssex"; "Amsoy 71" ome"; "Govan") | ·) | 2 | = Interm | nediate ('Ar | ncor'; 'Braxto | on') | | | • |
| | 17 | PLANT | HABIT: | | | | | | | | | | |
| J | .,. | | | " | | _ | | | | | | | • |
| | | 3 | | e ('Gnome'; 'Brax ate ('Nebsoy'; 'In | | | = Semi-L | Determinate | : (.Mui.) | | | | |
| | | | <u> </u> | | | | | | | | | | _ |
| | | | | | | | | | | | | | |
| * | 18. | MATUR | RITY GROUP: | | | | · · · · · · | | | | · · · | · · · · · · · · · · · · · · · · · · · | |
| * | 18. | MATUR 4 | 1 = 000 9 = VI | 2 = 00 10 = VII | 3 = 0 11 = VIII | | = I 2 = IX | 5 = II 13 = X | 6 ~ III | | 7 = IV | 8 = V | |
| | 0 | 4 | 1 = 000 9 = VI | 10 = VII | 11 = VIII | I 1: | 2 = IX | 13 ≒ X | 6 = III | | 7 = IV | 8 = V | |
| | 0 | 4 DISEAS | 1 = 000 9 = VI SE REACTION: | 10 = VII (Enter 0 = Not T | 11 = VIII | I 1: | 2 = IX | 13 ≒ X | 6 - III | | 7 = IV | 8 = V | |
| | 19. | 4 DISEAS | 1 = 000 9 = VI | 10 = VII (Enter 0 = Not T | 11 = VIII | I 1: | 2 = IX | 13 ≒ X | 6 - 111 | | 7 = IV | 8 = V | |
| | 0 | 4 DISEAS | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE | 10 = VII (Enter 0 = Not T | 11 = VIII ested; 1 = 1 | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 = 111 | | 7 = IV | 8 = V | |
| | 19. | 4 DISEAS | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE Bacterial Pustul | 10 = VII (Enter 0 = Not T ES: | 11 = VIII ested; 1 = 5 phaseoli va | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 = 111 | | 7 = IV | 8 = V | |
| | 19. | 4 DISEAS BACTION | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE Bacterial Pustul | 10 = VII (Enter 0 = Not T ES: e (Xanthomonas g) | 11 = VIII ested; 1 = 5 phaseoli va | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 = 111 | | ·. | 8 = V | |
| | 19. ± | BACTION O | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE Bacterial Pustul Bacterial Blight | 10 = VII (Enter 0 = Not T ES: e (Xanthomonas g) | 11 = VIII ested; 1 = 5 phaseoli va | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 - 111 | | ·. | 8 = V | |
| * | 19. ± | BACTION O | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo | 10 = VII (Enter 0 = Not T ES: e (Xanthomonas (Pseudomonas g | 11 = VIII ested; 1 = 5 phaseoli va | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 = 111 | | ·. | 8 = V | |
| * | 19. † * * | BACTION O O O O O O O O O O O O O O O O O O | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo L DISEASES: Brown Spot (Se | 10 = VII (Enter 0 = Not T ES: e (Xanthomonas (Pseudomonas g | 11 = VIII ested; 1 = 9 phaseoli vi | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 = 111 | | ·. | 8 = V | |
| * | 19. † * * | BACTION O O O O O O O O O O O O O O O O O O | 1 = 000 9 = VI SE REACTION: ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo L DISEASES: Brown Spot (Se | 10 = VII (Enter 0 = Not T ES: e (Xanthomonas (Pseudomonas g pmonas tabaci) ptoria glycines) | 11 = VIII ested; 1 = 9 phaseoli vi lycinea) | I 1 | 2 = IX e; 2 = Re | 13 ≒ X | 6 = III | ce 5 | | 8 = V | |
| * | 19. | 4 DISEAS BACTIO O O FUNGA O | 1 = 000 9 = VI ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo L DISEASES: Brown Spot (Se Frogeye Lesf Sp | (Enter 0 = Not T ES: le (Xanthomonas (Pseudomonas g omonas tabaci) ptoria glycines) pot (Cercospora a | 11 = VIII ested; 1 = 9 phaseoli vi lycinea) | Susceptible | 2 = IX e; 2 = Re | 13 = X | | ce 5 | | | |
| * | 19. | DISEAS BACTIO O O FUNGA O | 1 = 000 9 = VI ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo L DISEASES: Brown Spot (Se Frogeye Lesf Sc Race 1 Target Spot (Co | (Enter 0 = Not T ES: le (Xanthomonas (Pseudomonas g omonas tabaci) ptoria glycines) pot (Cercospora a | 11 = VIII fested; 1 = 5 phaseoli vi lycineal cojinal Re | Susceptible Br. sojensis | 2 = IX e; 2 = Re | 13 = X | | ce 5 | | | |
| * | 19. | DISEAS BACTIO O O FUNGA O | 1 = 000 9 = VI ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo L DISEASES: Brown Spot (Se Frogeye Lesf Sc Race 1 Target Spot (Co | (Enter 0 = Not T ES: le (Xanthomonas gi promonas tabaci) ptoria glycines) pot (Cercospora a Race 2 rynespora cassiic (Peronospora trii | iested; 1 = 5 phaseoli vi lycinea) cojinal cols) foliorum va | Susceptible Br. sojensis | 2 = IX e; 2 = Re | 13 = X | | ce 5 | | | |
| * | 19. | BACTION OO O | 1 = 000 9 = VI ERIAL DISEASE Bacterial Pustul Bacterial Blight Wildfire (Pseudo L DISEASES: Brown Spot (Se Frogeye Leaf Sp Race 1 Target Spot (Co Downy Mildew Powdery Mildey | (Enter 0 = Not T ES: le (Xanthomonas gi promonas tabaci) ptoria glycines) pot (Cercospora a Race 2 rynespora cassiic (Peronospora trii | iested; 1 = 5 phaseoli vi lycinea) cojinal cols) foliorum va diffusa) | Susceptible Br. sojensider. | 2 = IX e; 2 = Re | 13 = X | | ce 5 | | | |

| 19. | DISEAS | E REACTION: | (Enter 0 = Not T | ested; 1 = Susceptible | e; 2 = Resi | stant) (Continued) | | | |
|----------|-----------|----------------|----------------------------|------------------------|-------------|-----------------------|------------------|----------------|--|
| | FUNC | GAL DISEASES | S: (Continued) | | | | | | |
| * | 0 | Pod and Stem | Blight (Diaporthe | phaseolorum var; soj | iae) | | | | |
| | 0 | Purple Seed St | tain <i>(Cercospora ki</i> | kuchii) | | | | | Section 1 |
| | | Rhizoctonia R | Root Rot (Rhizocto | onia solani) | | | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ |
| | | Phytophthora | Rot (Phytophthor | a megasperma var. so | ojae) | | | | |
| * | 2 | Race 1 | 2 Race 2 | 2 Race 3 | 2 R | ace 4 2 Race 5 | 0 _R | ace 6 2 | Race 7 |
| | 2 | Race 8 | Race 9 | 2 Other (Spec | ify) | 10, 11, 12, 1 | 3, 14, | . —— | |
| | VIRA | L DISEASES: | | | | | | • | |
| | 0 | Bud Blight (To | obacco Ringspot V | irus) | | | | . 4 | |
| | 0 | Yellow Mosaic | c (Bean Yellow Mo | saic Virus) | | | | e de la cerebe | , was a second |
| * | 0 | Cowpea Mosai | ic (Cowpea Chloro | tic Virus) | | • . | | | |
| | 0 | Pod Mottle (B | ean Pod Mottle Vi | rus) | | | | • • • • | , |
| * | 0 | | Soybean Mosaic Vi | | | | | AL SAL | • |
| | NEM | ATODE DISEA | | · | | | | | • |
| | • | Sovbean Cvst | Nematode (Hetero | dera alveines! | | | | | |
| * | 0 | Race 1 | 0 Race 2 | Race 3 | 0 | ace 4 Other | (Specify) | | |
| | 0 | Lance Nemato | ode (Hoplolaimus (| | <u>ш</u> " | oce 4 [Ott.er | гэрестү) <u></u> | · . | |
| * | | | | (Meloidogyne incogn | nital | | , | | |
| <u>.</u> | 0 | | | (Meloidogyne Hapla) | | | | | |
| | | | | eloidogyne arenaria) | | | | | · |
| | | | natode (Rotylench | | | | | • | |
| | 0 | | • | | | | | • | - |
| | 0 | OTHER DISE | ASE NOT ON FO | тум (эресіту): | | | | | |
| 20. | PHYSIC | LOGICAL RES | SPONSES: (Enter | 0 = Not Tested; 1 = | Susceptibl | e; 2 = Resistant) | | r jart geta . | to the world to the |
| * | 2 | Iron Chlorosis | on Calcareous Soi | | | | | | |
| | 0 | Other (Specify | / ····· | | | | | | *** |
| 21. | INSECT | REACTION: | (Enter 0 = Not Te | sted; 1 = Susceptible | ; 2 ≈ Resis | tent) | | | |
| | 0 | Mexican Bean | Beetle (Epilachna | varivestis) | | • | | | |
| | 0 | Potato Leaf H | opper (Empoasca | fabae) | | | | | |
| | 0 | Other (Specify | /) | | | | | | |
| 22. | INDICA | TE WHICH VA | RIETY MOST CL | OSELY RESEMBLE | S THAT S | SUBMITTED. | | | |
| | | ACTER | 1 ''- ''- '' | E OF VARIETY | | CHARACTER | | NAME OF VARI | IETY |
| | Plant Sh | ape | A223 | 27. | | Seed Coet Luster | | A2234 | |
| | Leaf Sha | pe | A223 | 34 | | Seed Size | | A2234 | |
| | Leaf Col | <u> </u> | A223 | | | Seed Shape | | A2234 | |
| <u></u> | Leaf Size | <u> </u> | A223 | 3 4 | | Seedling Pigmentation | <u> </u> | A2234 | |
| | | | 1 | | 1 | • | 1 | | |

FORM LMGS 470-57 (6-83)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY | NO, OF DAYS | PLANT LODGING SCORE | CM PLANT HEIGHT | LEAFLET SIZE | | SEED COM | ITENT | SEED SIZE G/100 | NO. SEEDS/ |
|----------------------------|----------------|---------------------------|-----------------------|--------------|-----------|-----------|-------|--------------------|---------------|
| | MATURITY | | | CM Width | CM Length | % Protein | % Oil | SEEDS | POD |
| Submitted A1923 | 126 | 1.6 | 79 | 8.9 | 13.8 | 41.5 | 19.9 | 19 | 2.7 |
| Name of Similar Variety | 129 | 1.6 | 81 | 8.9 | 13.8 | 41.2 | 20.5 | 18 | 2.6 |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

89 MB M

EXHIBIT D ADDITIONAL DESCRIPTION OF VARIETY

A1923 is a late group I cultivar that possesses an outstanding combination of characteristics needed by producers in its maturity zone. It combines high yield potential, excellent standability, resistance to powdery mildew, good iron chlorosis tolerance, moderate tolerance to brown stem rot and resistance to many races of Phytophthora megasperma f. sp. <a href="https://glycinea.glycine

AD YOU DA

EXHIBIT E STATEMENT OF BASIS OF APPLICANT OWNWERSHIP

A1923 was originated and developed by Roger L. Lussenden, as Asgrow plant breeder. By agreement with Asgrow Seed Company, all rights to any invention, discovery or development made by employees are assigned to the company. No rights of such invention, discovery or development are returned to the employee.

AR Welly

621